

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

Sec. 25-76. Wastewater; definitions.

For purposes of the Wastewater (including Pretreatment) sections of this chapter, the following words, terms and phrases shall have the following meanings ascribed to them, except where the context clearly indicates a different meaning:

Act or "the Act" means the Federal Water Pollution Control Act, also known as the Clean Water Act, as amended, 33 U.S.C. 1251, et. seq.

Approval authority means the United States Environmental Protection Agency (EPA), Arizona Department of Environmental Quality (ADEQ), City, or any other authority responsible for the administration and enforcement of all applicable Federal, State, and City laws, including the Act, the general Pretreatment Regulations (40 CFR Part 403), and the Pretreatment provisions in this Chapter.

Approved laboratory means a facility licensed by the Arizona Department of Health Services pursuant to Title 36, Chapter 4.3, Article 1, Section 36-495, ET.SEQ. Arizona Revised Statutes.

Approved laboratory procedures means the measurements, tests and analyses of the characteristics of water and wastes in accordance with analytical procedures as established in 40 C.F.R. part 136, as revised.

Authorized representative means any person authorized by the City or other governmental entity.

Authorized representative of the Industrial User – An authorized representative of an Industrial user may be any of the following individuals:

- (i) The president, secretary, treasurer, or a vice president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision making functions for the corporation; or
- (ii) The manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions that govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiate and direct other comprehensive measures to assure long term environmental compliance with environmental laws and regulations; can ensure that the necessary systems are established or actions taken to gather complete and accurate information for individual wastewater discharge permit requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures. If the User is a partnership or sole proprietorship: a general partner or proprietor, respectively.

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

- (a) If the User is a partnership or sole proprietorship: a general partner or proprietor, respectively.
- (b) If the User is a Federal, State, or local governmental facility: a director or highest official appointed or designated to oversee the operation and performance of the activities of the government facility, or their designee.
- (c) The individuals described in this Subsection (ii) may designate an authorized Representative if the authorization is in writing, the authorization specifies the individual or position responsible for the overall operation of the facility from which the discharge originates or having overall responsibility for environmental matters for the company and the written authorization is submitted to the City.

Average quality means the arithmetic average (weighted by flow value) of all the daily determinations of concentration made during a calendar month.

AZPDES (Arizona Pollutant Discharge Elimination System) means the regulatory program administered by the Arizona Department of Environmental Quality pursuant to Arizona law.

Biochemical Oxygen Demand (BOD) means the quantity of oxygen utilized in the biochemical oxidation of organic matter under standard laboratory conditions for five (5) days at a temperature of twenty (20) degrees centigrade, expressed in milligrams per liter.

Best Management Practices (BMP) means schedules of activities, pollution treatment practices or devices, prohibition of practices, general good housekeeping practices, pollution prevention, waste minimization, educational practices, maintenance procedures, and other management practices or devices to prevent or reduce the amount of pollutants entering the sanitary sewer system, surface water, air, land or groundwater. BMP's also include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw materials storage. Best Management Practices may include a physical, chemical, structural or managerial practice or device that can help to achieve compliance with this Chapter.

Branch sewer means an arbitrary term for a sewer which receives sewage from lateral sewers from a relatively small area.

Building connection or sewer tap means the connection to the public sewer and the extension therefrom of the sewer to the property line in an alley or street, or to the easement line in an easement, or to the edge of the paved roadway, whichever is applicable, depending on the location of the public sewer.

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

Building official means the individual so designated by the City Manager and head of the respective division of the Development Services Department responsible for implementing the Uniform Building Codes adopted by the city.

Building sewer means the extension from the building drain to the building connection or other place of disposal.

Categorical Industrial User means an Industrial User subject to a Categorical Pretreatment Standard or Categorical Standard.

Categorical Pretreatment Standard or Categorical Standard means any regulation containing pollutant discharge limits promulgated by EPA in accordance with Sections 307(b) and (c) of the Act (33 U.S.C. §1317) which apply to a specific category of Users and which appear in 40 CFT Chapter I, Subchapter N, Parts 405-471.

City means City of Peoria, Arizona.

City Engineer means the Director of the Engineering Department, (i.e., City Engineer) or their deputy, agent, designee or representative.

COD (chemical oxygen demand) means the quantity of oxygen consumed from a chemical oxidation of inorganic and organic matter present in the water or wastewater, expressed in milligrams per liter.

Cooling water means the clean wastewater discharged from any heat transfer system such as condensation, air conditioning, cooling or refrigeration.

Combined Sewer means a sewer receiving both surface runoff and sewage.

Control authority means the "Approval Authority", defined herein above, or the Director if the City has an approved pretreatment program under the provisions of 40 CFR 403.11.

Daily average effluent limitation means the maximum allowable concentration in the discharge as measured in a representative sample during a sampling day. In determining compliance with the daily average effluent limitation, City samples should not be combined with non-City samples.

Daily composite sample means a sample of effluent continuously collected over a normal operating day.

Daily composite sample quality means the concentration of some parameter tested in a daily composite sample and reported proportional to flow.

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

Daily determination of concentration means:

- (i) For composite samples means the daily composite sample quality.
- (ii) For grab samples, the arithmetic average (weighted by flow value) of all grab sample qualities, determined for any calendar day.

Daily maximum means the arithmetic average of all effluent samples for a pollutant collected during a calendar day.

Daily maximum limit means the maximum allowable discharge limit of a pollutant during a calendar day. Where Daily Maximum Limits are expressed in units of mass, the daily discharge is the total mass discharged over the course of the day. Where Daily Maximum Limits are expressed in terms of a concentration, the daily discharge is the arithmetic average measurement of the pollutant concentration derived from all measurements taken that day.

Department means the Public Works-Utilities Department.

Developer means any person engaged in the organizing and financing of a sewage collecting system within an area contributing to a branch, main, or a trunk sewer of the city sewer system. Such may be either a subdivider or a legally-constituted improvement district.

Director or *Public Works-Utilities Director* means the Public Works-Utilities Director of the City of Peoria or their authorized deputy, agent, designee or representative.

Director of Engineering means the Director of Engineering or his authorized deputy, agent, designee, or representative.

Finance Director or his authorized deputy, agent or representative shall have the authority to determine and collect all flow service rates and to make such regulations as necessary for same, including the ordering of a discontinuance of service for non-payment of required service fees.

Direct discharge means the discharge of treated or untreated wastewater directly to the waters of the State of Arizona.

Discharge means the disposal of sewage, water or any liquid from any sewer User into the sewerage system.

Domestic sewage means a typical, residential-type waste which requires no pretreatment under the provisions of this article before discharging into the sanitary sewer system. Domestic sewage includes sewage or wastewater that (a) has a five (5) day biochemical oxygen demand less than 300 milligrams per liter by weight; (b) contains less

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

than 350 milligrams per liter by weight of suspended solids, and (c) does not contain a non-permissible quantity of the type of waters and wastes described in section 25-138.

Environmental Protection Agency or EPA means the U.S. Environmental Protection Agency or where appropriate the term may also be used as a designation for the administrator or other duly authorized official of said agency.

Establishment or plant means any establishment or plant producing liquid waste, with or without suspended solids, required to be discharged into the City sewer system.

Existing source means any source of discharge, the construction or operation of which commenced prior to the publication by EPA of proposed Categorical Pretreatment Standards, which will be applicable to such source if the standard is thereafter promulgated in accordance with Section 307 of the Act.

Finance Director or his authorized deputy, agent or representative shall have the authority to determine and collect all flow service rates and to make such regulations as necessary for same, including the ordering of a discontinuance of service for non-payment of required service fees.

Garbage means solid wastes from the preparation, cooking, and dispensing of food and from the handling, storage, and sale of produce.

Grab sample means an individual sample of effluent collected in less than fifteen (15) minutes.

Grab sample quality means the concentration of some parameter tested in a grab sample.

Holding Tank Waste means any waste from holding tanks such as vessels, chemical toilets, campers, trailers, septic tanks and vacuum-pump tank trucks.

Indirect Discharge or Discharge means the introduction of pollutants into a POTW from any non-domestic source regulated under Section 307(B), (C), or (D) of the Act, (33 U.S.C. 1317), into the POTW.

Industrial cost recovery means recovery by the City from the Industrial Users of the sewer system of the Federal grant amount allocable to the treatment of wastes for such Users.

Industrial cost recovery period means the industrial cost recovery period shall be equal to thirty (30) years from the date of completion of the facilities.

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

Industrial discharge (Waste) means any introduction into the POTW of a non-domestic pollutant which:

- (i) Is produced by a source which would be subject to any Categorical Standards or Pretreatment Requirements if such source were to be discharged to the POTW; and
- (ii) Contains any substance or pollutant for which a discharge limitation or prohibition has been established by any Categorical Standard or Pretreatment Requirement.

Industrial unit means a business use or an activity involving and/or including, but not limited to, resource extraction, manufacturing, fabrication, assembly, and warehousing.

Industrial User or User means any one or more of the following:

- (i) Any non-residential User of the sewer system who causes an industrial discharge; or
- (ii) Any non-residential User of the sewer system which either discharges or produces a waste which potentially could be discharged to a POTW which could be subject to any Categorical Standard or Pretreatment Requirement; or
- (iii) Any Significant Industrial User;
- (iv) Has control over the disposal of a waste as described in (1) and (2) above; or
- (v) Has the right of possession and control over any property which produces a waste as described in (1), (2), (3), or (4) above.

Industrial waste means any liquid, free-flowing waste, including cooling water, resulting from any industrial or manufacturing process or from the development, recovery or processing of natural resources, with or without suspended solids excluding uncontaminated water.

Industrial wastewater discharge permit means the permit granted by the City to an Industrial User granting the right to discharge to the sewer works subject to the terms and conditions set forth in the permit.

Inflow means water other than wastewater that enters a sewer system (including sewer service connections) from sources such as roof leaders, cellar drains, foundation drains, drains from springs and swampy areas, manhole covers, cross connections between storm sewers and sanitary sewers, catch basins, cooling towers, stormwaters, surface runoff, street wash waters or drainage.

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

Instantaneous effluent limitation means the maximum allowable concentration in the discharge at any time as measured in a grab sample. In determining compliance with the instantaneous effluent limitation, City samples shall not be combined with non-City samples.

Instantaneous maximum allowable discharge limit means the maximum concentration of a pollutant allowed to be discharged at any time, determined from the analysis of any discrete or composited sample collected, independent of the flow rate and the duration of the sampling event.

Interference means a discharge which alone or in conjunction with a discharge or discharges from other sources, both:

- (i) Inhibits or disrupts the POTW, its treatment processes or operations, or its sludge processes, use or disposal; and
- (ii) Therefore is a cause of a violation of any requirement of the POTW'S AZPDES permit (including an increase in the magnitude or duration of a violation) or of the prevention of sewage sludge use or disposal in compliance with the following statutory provisions and regulations or permits issued thereunder (or more stringent State or local regulations): Section 405 of the Clean Water Act, the Solid Waste Disposal Act (SWDA) (Including Title II, more commonly referred to as the Resource Conversation and Recovery Act (RCRA), and including State regulations contained in any State sludge management plan prepared pursuant to subtitle D of the SWDA), the Clean Air Act, The Toxic Substances Control Act, and the Marine Protection, Research and Sanctuaries Act.

Lateral sewer means a sewer which discharges into a branch or other sewer and has no other common sewer tributary to it.

Main sewer means a sewer which receives sewage from two (2) or more branch sewers as tributaries.

Maintenance means keeping the treatment works in a state of repair, including expenditures necessary to maintain the capacity (capability) for which the works were designed and constructed.

Medical Waste means isolation wastes, infectious agents, human blood and blood products, pathological wastes, sharps, body parts, contaminated bedding, surgical wastes, potentially contaminated laboratory wastes, and dialysis wastes.

National Pretreatment Standard, Pretreatment Standard or Standard means any regulation containing pollutant discharge limits promulgated by the United States Environmental Protection Agency in accordance with section 307 (b) and (c) of the Act, which applies to Industrial Users. This term included prohibitive discharge limits

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

established pursuant to 40 CFR 403.5. Reference the standards located in 40 CFR chapter i, subchapter n., Parts 405 - 471.

National prohibitive discharge standard or prohibitive discharge standard means any regulation developed under the authority of 307(B) of the Act and 40 CFR, Section 403.5.

Natural outlet means any outlet into a watercourse, ditch, or other body of surface or groundwater.

New source means any building, structure, facility or installation from which there is or may be a discharge of pollutants if its construction occurred under the following timeframes:

- (i) The construction commenced after the publication of proposed pre-treatment standards under Section 307(c) of the Act which will be applicable to such source if such standards are thereafter promulgated in accordance with that section, provided that one or more of the following criteria is met:
 - (a) The building, structure, facility or installation is constructed at a site at which no other source is located; or
 - (b) The building, structure, facility or installation totally replaces the process or production equipment that causes the discharge of pollutants at an existing source; or
 - (c) The production or wastewater generating processes of the building, structure, facility or installation are substantially independent of an existing source at the same site. In determining whether these are substantially independent, factors such as the extent to which the new facility is integrated with the existing plant, and the extent to which the new facility is engaged in the same general type of activity as the existing source should be considered.
- (ii) Construction on a site at which an existing source is located results in a modification rather than a New Source if the construction does not create a new building, structure, facility or installation meeting the criteria of paragraphs (i)(a), (i)(b) or (i)(c) of this section, but otherwise alters, replaces, or adds to existing process or production equipment.
- (iii) Construction of a New Source has commenced if the owner or operator has either:
 - (a) Begun, or caused to begin, as part of a continuous onsite construction program either or both of the following:

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

- (1) Any placement, assembly, or installation of facilities or equipment;
or
 - (2) Significant site preparation work including clearing, excavation, or removal of existing buildings, structures, or facilities which is necessary for the placement, assembly, or installation of new source facilities or equipment.
- (b) Entered into a binding contractual obligation for the purchase of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility, engineering, and design studies do not constitute a contractual obligation.

Noncontact cooling water means water used for cooling that does not come into direct contact with any raw material, intermediate product, waste product, or finished product.

National Pollutant Discharge Elimination System (NPDES) Permit means a national pollutant discharge elimination system permit, issued to the City by the EPA, or an Arizona pollutant discharge elimination system permit (AZPDES), issued to the City by the State of Arizona, which imposes standards governing the quality of the treatment effluent discharge from the POTW into a navigable water of the United States.

Oil & grease means the measure of oil and grease content of a sample as determined by EPA method 1664A, Or other equivalent test method approved by the Director.

Oil & grease (TPH) means for purposes of determining compliance with the oil and grease limitation contained in this chapter, oil and grease is defined as the measure of the petroleum and mineral oil (Total Petroleum Hydrocarbons, "TPH") content of a sample as determined by EPA method 1664A, or other equivalent test method approved by the Director.

Pass through means a discharge which exits the Publicly Owned Treatment Works into waters of the United States in quantities or concentrations which, alone or in conjunction with a discharge or discharges from other sources, is a cause of violation of any requirement of the POTW's AZDPES permit (including an increase in the magnitude or duration of a violation). 40 CFR 403.5(A)(1)

Permittee or permit holder means any person who owns, operates, processes or controls an establishment or plant being operated under a valid industrial waste permit to discharge wastewater into the city sewer system.

Person means any individual, partnership, co-partnership, firm, company, corporation, association, joint stock company, trust, estate, governmental entity or any other legal entity, or their legal representatives, agents or assigns. The masculine gender shall

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

include the feminine, the singular shall include the plural where indicated by the context. This definition includes all Federal, State, and local governmental entities.

pH means a measurement of the acidity or alkalinity of a solution, expressed in standard units defined as the logarithm of reciprocal of the weight of hydrogen ions in grams per liter of solution.

Pollutant means any dredged spoil, solid waste, incinerator residue, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discharged equipment, rock, sand, cellar dirt, and industrial, municipal and agricultural wastes. This includes any substance and effluent limitation identified in this Chapter 25 of the City Code and certain characteristics of wastewater (e.g., pH, temperature, TSS, turbidity, color, BOD, chemical oxygen demand (“COD”), toxicity, or odor).

Pollution means the man-made or man-induced alteration of the chemical, physical, biological and radiological integrity of water.

Pollution prevention means source reduction and other practices that reduce or eliminate the creation of pollutants through either or both of the following:

- (i) Increased efficiency in the use of raw materials, energy, water or other resources, or
- (ii) Protection of natural resources by conservation.

Publicly Owned Treatment Works (POTW) means a treatment works, as defined by Section 212 of the Act (33 U.S.C. § 1292) which is owned by the City. This definition includes any devices or systems used in the collection, storage, treatment, recycling, and reclamation of sewage or industrial wastes of a liquid nature and any conveyances which convey wastewater to a treatment plant. The term also means the City as defined in Section 502(4) of the Act, which has jurisdiction over Indirect Discharges from such treatment works..

POTW residuals means all POTW effluent and/or solids, including sludge, scum, screenings and grit, which are the by-product of the wastewater treatment operations and which must be discharged to the environment for ultimate disposal and/or reuse.

POTW treatment plant means that portion of the POTW designed to provide treatment to wastewater.

Pretreatment means the physical, chemical, biological or other treatment of any industrial discharge, prior to discharge to the POTW for the purpose of the reduction of the amount of pollutants, the elimination of pollutants, or the alteration of the nature of pollutant properties in wastewater prior to, or in lieu of, introducing such pollutants into the POTW. This reduction or alteration can be obtained by physical, chemical, or biological processes;

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

by process changes; or by other means, except by diluting the concentration of the pollutants unless allowed by an applicable pretreatment standard.

Pretreatment requirements means any substantive or procedural requirement related to pretreatment imposed on a User other than a Pretreatment Standard.

Pretreatment Standards, National Pretreatment Standards, or Standards means any regulation containing pollution discharge limits promulgated by the EPA in accordance with Sections 307(b) and (c) of the Act which apply to Industrial Users. This term includes prohibited discharge limits established pursuant to 40 CFR § 403.5.

Producer means any person, firm, association, corporation or trust which owns, operates, possesses or controls an establishment or plant, whether or not a permittee.

Prohibited discharge standards or prohibited discharges mean absolute prohibitions against the discharge of certain substances.

Properly shredded garbage means garbage that has been shredded to such a degree that all particles will be carried freely under the flow conditions normally prevailing in public sewers, with no particle greater than one-half (1/2) of an inch in any dimension.

Public sewer means a lateral, branch, main or trunk sewer controlled and maintained by the City.

Replacement means those expenditures made for obtaining and installing equipment, accessories and/or appurtenances during the useful life of the treatment works which are necessary to maintain the capacity and performance of the treatment works for which they were designed and constructed.

Sanitary sewer means a sewer which carries sewage and to which storm, surface, and groundwaters are not intentionally admitted.

Septic tank waste means any sewage from holding tanks such as vessels, chemical toilets, campers, trailers, and septic tanks.

Sewage means human excrement and gray water (showers, dishwashing, laundry operations, etc.).

Sewage treatment plant means any arrangement of devices and structures used for treating sewage.

Sewage works, sewer system or sewerage works means all facilities used for collecting, pumping, treating, and disposing of sewage.

Sewer means a pipe or conduit for carrying sewage.

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

Sewer Tap - See "Building Connection".

Shall means mandatory. *May* is permissive.

Significant Industrial User(SIU) means:

- (i) All Users subject to Categorical Pretreatment Standards under 40 CFR §403.6 and 40 CFR Chapter I, Subchapter N; or.
- (ii) Any other User that meets one or more of the following criteria:
 - (a) Discharges an average of twenty five thousand (25,000) gpd or more of process wastewater to the POTW (excluding sanitary, noncontact cooling, and boiler blowdown wastewater);
 - (b) Contributes a process wastestream which makes up five (5) percent or more of the average dry weather hydraulic or organic capacity of the POTW treatment plant; or
 - (c) Is designated as such by the City on the basis that the Industrial User has a reasonable potential for adversely affecting the POTW's operation or for violating any Pretreatment Standard or requirement.
- (iii) The City may determine that an Industrial User subject to Categorical Pretreatment Standards is a Non-Significant Categorical Industrial User rather than a Significant Industrial User on finding the Industrial User never discharges more than 100 gallons per day (gpd) of total categorical wastewater (excluding sanitary, non-contact cooling and/or boiler blowdown wastewater, unless specifically included in the Pretreatment Standard) and all of the following conditions are met:
 - (a) The Industrial User, prior to the City's finding has consistently complied with all applicable Categorical Pretreatment Standards and Requirements;
 - (b) The Industrial User annually submits the certification statement required in this Chapter, together with any additional information necessary to support the certification statement; and
 - (c) The Industrial User never discharges any untreated concentrated wastewater.
- (iv) Upon a finding that an Industrial User meeting the criteria in Subsection (ii) has no reasonable potential for adversely affecting the POTW's operation or for violating any Pretreatment Standard or requirement, the City may at any time, on its own initiative or in response to a petition received from a User,

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

and in accordance with procedures in 40 CFR § 403.8(f)(6), determine that such User should not be considered a Significant Industrial User.

Significant noncompliance means an industrial user is in a state of significant noncompliance (SNC) when violations meet one or more of the following criteria:

- (i) Chronic violations of wastewater discharge limits, defined here as those in which sixty-six percent or more of all the measurements taken during any six-month period exceed (by any magnitude) the daily maximum limit or the average limit for the same pollutant parameter;
- (ii) Technical Review Criteria (TRC) violations, defined here as those in which thirty-three (33) percent or more of all of the measurements For each pollutant parameter taken during a six-month period equal or exceed the product of the daily maximum limit or the average limit multiplied by the applicable TRC (TRC = 1.4 FOR BOD, TSS, fats, oil and grease, And 1.2 For all other pollutants except pH).
- (iii) Any other violation of a pretreatment effluent limit (daily maximum or longer-term average) that the Director determines has caused, alone or in combination with other discharges, interference or pass through (including endangering the health of POTW personnel or the general public).
- (iv) Any discharge of a pollutant that has caused imminent endangerment to human health, welfare or to the environment or has resulted in the Publicly Owned Treatment work's exercise of its emergency authority under this Chapter to halt or prevent such a discharge.
- (v) Failure to meet, within 90 days after the schedule date, a compliance schedule milestone contained in a permit or enforcement order for starting construction, completing construction, or attaining final compliance.
- (vi) Failure to provide, within thirty (30) days after the due date, required reports such as BMR's, ninety day compliance reports, periodic self-monitoring reports and reports on compliance with compliance schedules.
- (vii) Failure to accurately report non compliance; or
- (viii) Any other violation or group of violations which the Director determines will adversely affect the operation or implementation of the local pretreatment program.

Slug discharge means *or Slug* means any discharge of a non-routine, episodic nature, including but not limited to an accidental spill or a non-customary batch discharge, which has a potential to cause Interference or Pass Through, or in any other way violate the POTW's regulations, Local Limits or permit conditions.

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

Source reduction means any practice which:

- (i) Reduces the amount of any pollutant or contaminant entering any waste stream or otherwise released into the environment (including fugitive emissions) prior to recycling, treatment or disposal; and
- (ii) Reduces the hazards to public health and the environment associated with the release of such substances, pollutants or contaminants.

Standard industrial classification (SIC) means a coded classification of industries based upon economic activity developed by the U. S. Department of Commerce as published in the most recent edition of the Standard Industrial Classification Manual, Office of Management and Budget.

Standard methods means the procedure as described in the most current edition of Standard Methods for the Examination of Water and Wastewater published by the American Health Association, or the most current edition of Manual of Methods for Chemical Analysis of Water and Wastes published by the U. S. Environmental Protection Agency.

State means State of Arizona.

Storm sewer or *storm drain* means a sewer which carries storm and surface waters and drainage, but excludes sewage and polluted industrial wastes.

Storm water means any flow occurring during or following any form of natural precipitation and resulting from such precipitation, including snowmelt.

Suspended solids (SS) means the total suspended matter that floats on the surface of, or is suspended in, water, wastewater, or other liquid, and which is removable by laboratory filtering.

System design capacity means the design capacity for normal domestic sewage as established by accepted engineering standards.

Total organic carbon (TOC) means the total of all organic compounds expressed in milligrams per liter as determined by the combustion-infrared method prescribed by approved laboratory procedures.

Toxic pollutant means any pollutant or combination of pollutants listed as toxic in regulations promulgated by the administrator of the Environmental Protection Agency under the provision of CWA 307(A) or other acts.

Treatment parameter means a fundamental characteristic of sewage around which treatment is designed such as, but not limited to, flow, BOD, and Suspended Solids.

CHAPTER 25 - WATER, SEWERS AND SEWAGE DISPOSAL

Trunk sewer means a sewer which receives sewage from many tributary main sewers and serves as an outlet for a large territory.

User or Industrial User means a source of indirect discharge.

Waste minimization means an activity which eliminates or reduces the amount of any pollutant from entering the waste stream or the environment. This may include a change in raw materials, operational improvement, process improvement, product reformulation, reuse or reclamation.

Wastewater means liquid and water-carried industrial wastes and sewage from residential dwellings, commercial buildings, industrial and manufacturing facilities, and institutions, whether treated or untreated, which are contributed to the POTW.

Wastewater contribution permit means as set forth in this Chapter.

Wastewater treatment plant means that portion of the POTW which is designed to provide treatment of municipal sewage and industrial waste.

Watercourse means a channel in which a flow of water occurs, either continuously or intermittently.

Waters of the State means all streams, lakes, ponds, marshes, water courses, waterways, wells, springs, reservoirs, aquifers, irrigation systems, draining systems and all other bodies or accumulations of water, surface or underground, natural or artificial, public or private, which are contained within, flow through, or border upon the State or any portion thereof.

Cross reference(s) -- Definitions and rules of construction generally, § 1-2.
(Code 1977, §12-1-1)

State Law Reference: A.R.S. §36-495.

(Ord. No. 95-66, 8/1/95, Amended)

(Ord. No. 02-41, 6/7/02, Amended) SUPP 2002-2

(Ord. No. 02-42, 6/7/02 Amended) SUPP 2002-2

(Ord. No. 04-197, 9/21/04, Amended) SUPP 2004-3

(Ord. N. 08-35, 12/02/08, Amended Sec. 25-76) SUPP 2008-4

(Ord. No. 09-39, 10/20/09, Amended) SUPP 2009-4