

## CHAPTER 5 – BUILDINGS AND BUILDING REGULATIONS

### Section 5-44. International Plumbing Code – Adopted and Amended.

(A) A certain document, one copy of which is on file in the City Clerk's Office of the City of Peoria, being marked and designated as “International Plumbing Code, 2012 Edition,” published by the International Code Council Inc., is hereby adopted, as amended herein, as the Plumbing Code of the City of Peoria.

(B) The International Plumbing Code, 2012 Edition, is amended as follows:

(1) Chapter 1, “Scope and Administration,” is hereby amended as follows:

101.1 Title. Insert the words “City of Peoria” as the name of jurisdiction.

101.2 Scope. Amend Section 101.2, “Scope,” by adding the following:

Any references to the ICC Electrical Code shall be deleted and the words “Electrical Code adopted by the City of Peoria and amended from time to time” shall be inserted in lieu thereof.

The following appendices are adopted:

APPENDIX E – SIZING OF WATER PIPING SYSTEM

APPENDIX F – STRUCTURAL SAFETY

106.6.2 Fee Schedule. Insert the words “Section 2-209 of the Peoria City Code, Table 2-209.”

106.6.3 Fee Refunds. Delete in its entirety.

109. Means of Appeal. Delete in its entirety and amend as follows:

“All appeals shall follow the provisions of the International Building Code, 2012 Edition, Section 113, and Chapter 5 of the Peoria City Code (1992), Section 5-9.”

## CHAPTER 5 – BUILDINGS AND BUILDING REGULATIONS

- (2) Chapter 3, “General Regulations”, is hereby amended as follows:

305.4.1 Sewer depth. Building sewers that connect to private sewage disposal systems shall be installed not less than 12 inches (305 mm) below finished grade at the point of septic tank connection. Building sewers shall be installed not less than 12 inches (305 mm) below grade.

- (3) Chapter 4. Fixtures, Faucets and Fixture Fittings

Section 404. “Accessible Plumbing Facilities.” Delete in its entirety and amend as follows:

Accessible plumbing facilities and fixtures shall be provided in accordance with Chapter 5 of the Peoria City Code (1992), Section 5-21 pertaining to the International Building Code, Edition 2012, Chapter 11, Accessibility and Fair Housing.

- (4) Section 1106, Size of Conductors, Leaders and Storm Drains.

1106.1 General. Delete in its entirety and amend as follows:

The size of the vertical conductors and leaders, building storm drains, building storm sewers, and any horizontal branches of such drains or sewers shall be based on 6” (inches) of rainfall per hour.

Reserved.

(Code 1977, § 8-3-2)

(Ord. No. 95-26, 5/2/95, Repealed)

(Ord. No. 07-32, 10/02/07, Enacted) SUPP 2007-4

(Ord. No. 2012-08, 5/1/2012, 2012 edition adopted) SUPP 2012-2